

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 919 787 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
02.06.1999 Bulletin 1999/22

(51) Int. Cl.⁶: **G01C 21/20, G01S 5/14**

(21) Application number: **98122430.6**

(22) Date of filing: **26.11.1998**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **28.11.1997 JP 344552/97**

(71) Applicant:
**Mitsumi Electric Co., Ltd.
Chofu-shi, Tokyo (JP)**

(72) Inventors:
• **Ogino, Toshikazu,
c/o Mitsumi Electric Co.,Ltd.
Atsugi-shi, Kanagawa (JP)**
• **Komatsu, Motoi,
c/o Mitsumi Electric Co.,Ltd.
Atsugi-shi, Kanagawa (JP)**


(74) Representative:
**Grünecker, Kinkeldey,
Stockmair & Schwanhäusser
Anwaltssozietät
Maximilianstrasse 58
80538 München (DE)**

(54) Navigation data receiving device

(57) A navigation data receiving device is so designed that the navigation data down-loaded in the hard disk of a portable personal compute is received through internet. The device includes a modem block 3 which adapted to receive navigation data through the

internet; and a GPS block 2 adapted to receive GPS data of a GPS system. The modem block and the GPS block are built in the same PC card.

FIG. 1



EP 0 919 787 A1

Description

DETAILED DESCRIPTION OF THE INVENTION

Field of the Invention

[0001] This invention relates to a navigation data receiving device which is suitable for a portable personal computer small in hard disk capacity.

Related Art

[0002] The navigation system that radio waves from the GPS (global positioning system) satellite is received to detect the present position, and the present position thus detected is displayed on the display map, has been popularly employed as a mobile system. Recently, attention has been paid to the advantage that this system is applied to the portable personal computer (PC).

[0003] In the case of the portable type, being different from the mobile type, for the purpose of miniaturization and weight reduction, the hard system is limited; that is, the hard disk capacity is not so large. In general, map data are down-loaded from the CD-ROM to the PC' hard disk. In the case of a hard disk small in capacity, all the parts of the map data read out of the CD-ROM are not down-loaded; that is, only a necessary part is selectively down-loaded.

[0004] In the case where a portable PC is carried, usually the CD-ROM and its driver are not carried. If the user is moving on, soon it becomes impossible to cover the range of movement cannot by the map data in the hard disk. This tendency is significant as the portable PC is miniaturized.

SUMMARY OF THE INVENTION

[0005] The premise of the present invention resides in the novel navigation system that data base is formed which can supply map data over wide areas, and part of the map data is received the user through internet and down-loaded to the portable PC's hard disk.

[0006] With this system, even if the hard disk capacity is small, when necessary, necessary map data is received and down-loaded in the hard disk. Therefore, navigation service can be obtained that is substantially equivalent to that of the PC which has a large capacity hard disk.

[0007] An object of the invention is to provide a navigation data receiving device in which internet is utilized to distribute map data, whereby, even with a portable personal computer small in hard disk capacity, navigation service can be obtained over wide range.

[0008] The foregoing object of the invention has been achieved by the provision of a navigation data receiving device for a portable personal computer comprising:

a modem block which is a device adapted to

receive navigation data through internet which is down-loaded in a hard disk of the portable personal computer, and which receives the navigation data through the internet; and

a GPS block adapted to receive GPS data of a GPS system,

the modem block and the GPS block being built in the same PC card.

[0009] A PC card incorporating a GPS block has been put in practical use. In view of an available space, it is sufficiently possible to build a modem block adapted to receiving navigation data in the same PC card. Hence, with a portable PC, merely by using only one PC card, not only the GPS data but also the navigation data can be received. The navigation data include restaurant data and town data in addition to map data.

BRIEF DESCRIPTION OF THE DRAWING(S)

[0010]

FIG. 1 is a block diagram showing a PC card, which is an embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

[0011] This invention will be described with reference its preferred embodiment shown in the accompanying drawing. FIG. 1 is a block diagram of a PC card showing the embodiment of the invention. In FIG. 1, reference numeral 1 designates a PC card; 2, a GPS block; 3, a modem block; 4, a PC card inter face; 5, a PC card connector; 6, a GPS receiving antenna connecting terminal; 7, a telephone line connecting terminal; and 8, a portable telephone connecting terminal.

[0012] The GPS block 2 comprises: a GPS converter 21 adapted to convert a radio wave from the GPS satellite, which is received through a GPS receiving antenna 9 connected to the terminal, into a signal low in frequency band; a GPS decoder 22 adapted to decode the output of the converter 21 to output position data; and a CPU 23 adapted to process the position data outputted by the decoder 22.

[0013] The modem block 3 comprises: a telephone line interface 31 adapted to access internet with a portable telephone set connected to a telephone line connected to the terminal 7 or to the terminal 8; a modem IC 32 which utilizes internet connected through the telephone line interface, to receive navigation data from a navigation system data base; and a CPU 33 adapted to process navigation data demodulated by the modem IC 32.

[0014] The PC card interface 4 is to connect the CPU 23 of the GPS block 2 and the CPU 33 of the modem block 3 to a PC body (not shown). The PC card connector 5 is to connect the PC card interface 4 to the PC

body.

[0015] The PC body is of a hard design necessary for a general portable PC; that is, it comprises: a hard disk which down-loads navigation data, a RAM which reads necessary data from the hard disk and stores them temporarily; a display which displays a map image according to the aforementioned navigation data, or the present position mark according to GPS data; and a keyboard adapted to externally give instructions.

[0016] In the invention, according to the capacity of the hard disk of the PC body, only a part of the navigation system data base provided by the internet is received, and down-loaded in the hard disk. Only a part of the data base can be selectively down-loaded by inputting a "zone name" of a necessary area with the keyboard. The modem block 3 has a function of transmitting signals to internet. Hence, the modem block 3 may be so designed that the present position data obtained from the GPS system is transmitted to the internet, to receive navigation data with the present position data as reference.

[0017] The PC card 1 may be a PCMCIA card. Alternatively, an RC232C port may be utilized therefor. And an infrared ray interface may be utilized.

[0018] As was described above, according to the invention, internet is utilized to distribute map data. Therefore, a navigation data receiving device can be proposed in which, even with a portable personal computer small in hard disk capacity, navigation service can be received in a wide range. Of course, the present invention is not limited by this embodiment. This invention is applicable for automobile type navigation system or the like.

Claims

1. A navigation data receiving device comprising:


a modem block for receiving navigation data through internet; and
a GPS block for receiving GPS data of a GPS system,
wherein said modem block and said GPS block being built in the same PC card.

2. A navigation data receiving device as claimed in claim 1, said navigation data includes map data, restaurant data, and town data.

3. A navigation data receiving device as claimed in claim 1, wherein, said navigation data is down-loaded in a hard disk of a portable personal computer.

55

FIG. 1





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 12 2430

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	EP 0 786 646 A (NAVIGATION TECHNOLOGIES CORP) 30 July 1997 * column 1, line 23 - column 2, line 7 * * column 9, line 18 - column 10, line 52 * * column 11, line 50 - column 14, line 12 * * column 31, line 11 - column 31, line 14; figures 1-7 * * column 4, line 9 - column 4, line 13 *	1-3	G01C21/20 G01S5/14
X	PATENT ABSTRACTS OF JAPAN vol. 097, no. 010, 31 October 1997 & JP 09 166450 A (SUMITOMO ELECTRIC IND LTD), 24 June 1997 * abstract *	1,2	
Y	----	3	
Y	WO 97 35166 A (TASC INC) 25 September 1997 * page 6, line 16 - page 6, line 24; figures 1-3 * -----	3	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6) G01C G01S G01P G01R
The present search report has been drawn up for all claims			
Place of search MUNICH	Date of completion of the search 15 March 1999	Examiner Fourrichon, P	
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document	

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 12 2430

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

15-03-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0786646 A	30-07-1997	CA 2195252 A JP 9264746 A	27-07-1997 07-10-1997
WO 9735166 A	25-09-1997	AU 2342597 A CA 2250063 A	10-10-1997 25-09-1997